

Loc pentru
Timbru Sec

CERTIFICAT DE EXAMINARE EC DE TIP

EC TYPE EXAMINATION CERTIFICATE

Examinarea EC de tip conform directivei 97/23/EC, Modul B (HG 584/2004)
EC type examination according to Directive 97/23/EC, Module B (GD 584/2004)

Nr. certificat: 056 – 584/EC
Certificate No.:

**Nume și adresă
producător:**
Name and Adress
of Manufacturer:

SC TOTALGAZ SA
Str. Rediu nr. 1-3, Iasi, Romania

Produs:
Product:

REGULATORI DE PRESIUNE GAZ CU ACTIONARE DIRECTA
(conform anexa pe verso)
Gas pressure governors with direct action (see the annex at back)

Nr. raport evaluare:
Assessment report no

02-256-584-02-07

Prin prezenta certificăm faptul că produsul respectă cerințele din directiva 97/23/EC, anexa III (HG 584/2004, anexa 4, pct. 3).

We herewith certify that the product meets the requirements from the Directive 97/23/EC, annex III (GD 584/2004, annex 4, par. 3).

02.03.2007
București

SC ISCIR-CERT SA
Director General
General Director
Ing. Stelian Negoescu

Valabil pana la 02.03.2017
Valid until



Str. Sf. Elefterie nr. 47-49,
sect.5, cod poștal 050524,
București, România

tel: 004.021.4115203
fax: 004.021.4115203
web: www.iscirtcert.ro

Număr organism notificat: 1798
Notified Body Number:

Regulatoare de presiune gaz cu acționare directă
Gas pressure governors with direct action

Model	Caracteristici tehnice (<i>Technical characteristics</i>)
RTG 25	DN 25-25 PS 3 bar racorduri filetate (<i>thread connections</i>)
RTG 25C	G 1/2 / G 3/4; G 1/2 / G 1; G 3/4 / G 3/4; G 3/4 / G 1 PS 3 bar racorduri filetate (<i>thread connections</i>)
RTG 310	DN 25-25, DN 25-40, DN 32-32, DN 32-50, DN 40-40, DN 40-50 PS 6 bar racorduri filetate (<i>thread connections</i>)
RTG 311	DN 25-25, DN 25-40, DN 32-32, DN 32-50, DN 40-40, DN 40-50 PS 6 bar racorduri filetate (<i>thread connections</i>)
RTG 320	DN 25, DN 32, DN 40, DN 50, DN 80, DN 100, DN 150, DN 200, DN 250, DN 300, DN 400 PS 6 bar, PS 16 bar racorduri cu flanșe (<i>flange connections</i>) PN 16, PN 25
RTG 340	DN 25, DN 32, DN 40, DN 50 PS 6 bar, PS 16 bar racorduri cu flanșe (<i>flange connections</i>) PN 16
RTG 404	G 3/4 / G 3/4, G1/G1, PS 64 bar racorduri filetate (<i>thread connections</i>)
RTG 405	DN 25 PS 40 bar, PS 64 bar racorduri cu flanșe (<i>flange connections</i>) PN 40, PN 64
RTG 406	G 3/4 / G 3/4, G1/G1 PS 64 bar racorduri filetate (<i>thread connections</i>)

PS – presiunea maxim admisibilă
(*maximum allowable pressure*)


PN – presiunea nominală
(*nominal pressure*)

Amegm




RTG 25, RTG 25C

RTG 25 - ... - ... - ...



RTG 25C - ... - ... - ...




Handwritten signature




RTG 310, RTG 311

RTG 310 ... - ...



RTG 311 ... - ... - ...




Amegru




RTG 404, RTG 406

RTG 404 - ...



RTG 406 - ... - ...



Aue gu